

Owner: J.A. Plastindustri ApS
No.: MD-25062-EN
Issued: 28-05-2025
Valid to: 28-05-2030

3rd PARTY VERIFIED

EPD

VERIFIED ENVIRONMENTAL PRODUCT DECLARATION | ISO 14025 & EN 15804



Owner of declaration

J.A. Plastindustri ApS
 Vestervigvej 163, DK-7755 Bedsted
 CVR no.: 65699818
[Forside - J.A. PLAST \(japlast.com\)](http://japlast.com)

J.A. PLAST®**Issued:**

28-05-2025

Valid to:

28-05-2030

Programme

EPD Danmark
www.epddanmark.dk



- ☐ Industry EPD
☐ Product EPD

- ☒ Product specific
☐ Average
☐ Worst Case

Declared product(s)

- Eaves Closures with ventilation (RA1)
- Eaves Closures (RA2)
- Ridge element for roof space ventilation (RA3)
- Ridge element for roof space ventilation for B5 and B9 (RA4)
- Ridge ventilation (RA5)
- Valley Ventilation Element (RA6)
- Vent strip (ridge vent strip) (RA7)

Number of declared datasets/product variations: 7

Production site

Vestervigvej 163
 7755 Bedsted
 Denmark

Use of Guarantees of Origin

- ☒ No certificates used
☐ Electricity covered by GoO
☐ Biogas covered by GoO

Declared/ functional unit

1 psc of J.A. Plast roof accessories: Ridge/hip, valley and eaves elements

Year of production site data (A3)

2023

EPD version

Version 1.0

Basis of calculation

This EPD is developed and verified in accordance with the European standard EN 15804+A2.

Comparability

EPDs of construction products may not be comparable if they do not comply with the requirements in EN 15804. EPD data may not be comparable if the datasets used are not developed in accordance with EN 15804 and if the background systems are not based on the same database.

Validity

This EPD has been verified in accordance with ISO 14025 and is valid for 5 years from the date of issue.

Use

The intended use of an EPD is to communicate scientifically based environmental information for construction products, for the purpose of assessing the environmental performance of buildings.

EPD type

- ☒ Cradle-to-gate with modules C1-C4 and D
☐ Cradle-to-gate with options, modules C1-C4 and D
☐ Cradle-to-grave and module D
☐ Cradle-to-gate
☐ Cradle-to-gate with options

CEN standard EN 15804 serves as the core PCR

Independent verification of the declaration and data, according to EN ISO 14025

☐ internal ☒ external

Third party verifier:



Guangli Du



Martha Katrine Sørensen
 EPD Danmark

Life cycle stages and modules (MND = module not declared)

Product			Construction process		Use							End of life				Beyond the system boundary
Raw material supply	Transport	Manufacturing	Transport	Installation process	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Re-use, recovery and recycling potential
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
X	X	X	ND	ND	ND	ND	ND	ND	ND	ND	ND	X	X	X	X	X

Product information

Product description

The main product components are shown in the table below. The material compositions for the declared unit of 1 piece of J.A. Plast Roofing Accessory, in the category of ridge/hip, valley and eaves elements, can either consist of one or more materials. The main raw material input is plastic, as HIPS granulate or HIPS sheets, which for some products are combined with steel rivets and PVC foam strips.

Besides the raw material inputs, the packaging material for the raw materials are also included in the life cycle assessment.

Material	Weight-% of declared product		
	RA1	RA2	RA3
HIPS sheets	100%	100%	
HIPS granulate			100%
PP			
Steel			
PVC Foam			

Material	Weight-% of declared product			
	RA4	RA5	RA6	RA7
HIPS sheets	72%	78%		
HIPS granulate				100%
PP	26%	16%	100%	
Steel	2%	5%		
PVC Foam	1%	1%		

Product packaging:

The composition of the sales- and transport packaging of the products is shown in the table below.

Material	Weight of packaging material (kg)			Weight-% of packaging
	RA1	RA2	RA3	
Euro pallet	0.0043	0.0043	0.4850	31-100%
Cardboard	0.0096	0.0096		0-69%
Total	0.0140	0.0140	0.4850	100%

Material	Weight of packaging material (kg)				Weight-% of packaging
	RA4	RA5	RA6	RA7	
Euro pallet	0.4850	0.1016	0.0309	0.0046	46-100%
Cardboard		0.1200	0.0256	0.0052	0-54%
Total	0.4850	0.2216	0.0565	0.0098	100%

Representativity

This declaration, including data collection and the modeled foreground system including results, represents the production of J.A. Plast ridge/hip, valley and eaves elements on the production site located in Bedsted, Denmark. Product specific data are based on average values collected in the period January 2023 to December 2023.

This EPD represents 7 different types of roof accessories from J.A. Plast in the category of ridge/hip, valley and eaves elements. Each product has been modelled separately, and the results are presented in this EPD for each product.

Background data are based on Ecoinvent database version 3.10 and are less than 10 years old. Generally, the used background datasets are of good quality and the majority of the datasets are only a couple of years old.

Hazardous substances

J.A. Plast ridge/hip, valley and eaves elements does not contain substances listed on the "Candidate List of Substances of Very High Concern for authorisation"

(<http://echa.europa.eu/candidate-list-table>)

Product(s) use

J.A. Plast Ridge/hip, valley and eaves elements include ventilation elements for ridge/hip and valley, which ensure moisture is effectively ventilated away from the construction, it also includes elements for eaves closure. The products are permanently integrated in the building as a part of the building envelope, providing a shell for water proofing.

Essential characteristics








Technical information can be obtained by contacting the manufacturer or on the manufacturer's website:

<https://japlast.com/>

Reference Service Life (RSL)

N/A

Picture of product(s)

Eaves Closures with ventilation	Eaves Closures	Ridge element for roof space ventilation	Ridge element for roof space ventilation for B5 and B9	Ridge ventilation	Valley Ventilation Element	Vent strip (ridge vent strip)
RA1	RA2	RA3	RA4	RA5	RA6	RA7
						

LCA background

Declared unit

The LCI and LCIA results in this EPD relates to 1 piece of J.A. Plast Roof Accessories: ridge/hip, valley and eaves elements. The declared products come in different product types, sizes and shapes. The LCA results are presented for each product, in the unit 1 piece.

Name	No.	Value	Unit
Eaves Closures with ventilation	RA1	1	pcs
Eaves Closures	RA2	1	pcs
Ridge element for roof space ventilation	RA3	1	pcs
Ridge element for roof space ventilation for B5 and B9	RA4	1	pcs
Ridge ventilation	RA5	1	pcs
Valey Ventilation Element	RA6	1	pcs
Vent strip (ridge vent strip)	RA7	1	pcs

Functional unit

Not defined.

Material properties

Name	No.	Mass factor (kg/DU)
Eaves Closures with ventilation	RA1	0.074
Eaves Closures	RA2	0.074
Ridge element for roof space ventilation	RA3	0.459
Ridge element for roof space ventilation for B5 and B9	RA4	0.723
Ridge ventilation	RA5	1.186
Valley Ventilation Element	RA6	0.281
Vent strip (ridge vent strip)	RA7	0.185

PCR

This EPD is developed according to the core rules for the product category of construction products in EN 15804:2012+A2:2019, which serves as the core PCR.

Conversion factors

Name	No.	Conversion factor to 1 kg
Eaves Closures with ventilation	RA1	13.5
Eaves Closures	RA2	13.5
Ridge element for roof space ventilation	RA3	2.2
Ridge element for roof space ventilation for B5 and B9	RA4	1.4
Ridge ventilation	RA5	0.8
Valey Ventilation Element	RA6	3.6
Vent strip (ridge vent strip)	RA7	5.4

Energy modelling principles


Foreground system: No green electricity or biogas certificates (GOs) are used to model the energy in this LCA study. The electricity in the foreground system (product stage, modules A1-A3) is modelled based on the Danish residual electricity mix from 2022.

Information about the energy mix in the foreground system:

Energy mix	EF	Unit
Residual grid mix	0.632	kg CO ₂ e/kWh
Natural gas	0.0267	kg CO ₂ e/MJ

Background system: Upstream and downstream processes are modelled using national energy mixes.

Flowdiagram



System boundary

This EPD is based on a cradle-to-gate LCA with life cycle modules A1-A3, C1-C4 and D declared, in which 100 weight-% has been accounted for.

The general rules for the exclusion of inputs and outputs follows the requirements in EN 15804, 6.3.5, where the total of neglected input flows per module shall be a maximum of 5 % of energy usage and mass and 1 % of energy usage and mass for unit processes.

Some packaging material for the raw materials steel rivets and PVC foam strips in module A1 has been excluded as no data was available. This exclusion of data is in alignment with the requirements in EN 15804.

Product stage (A1-A3) includes:

- A1 – Extraction and processing of raw materials
- A2 – Transport to the production site
- A3 – Manufacturing processes

The product stage comprises the acquisition of all raw materials, products and energy, transport to the production site in Bedsted, Denmark, packaging and waste processing up to the "end-of-waste" state or final disposal.

The LCA results are declared in aggregated form for the product stage, which means, that the sub-modules A1, A2 and A3 are declared as one module A1-A3.

The Bedsted facility's production involves plastic injection and vacuum shaping, with electricity for machinery and utilities included in the product stage. Some component parts are produced by injection molded from HIPS and PP granulate. HIPS sheets are cut to size and vacuum formed into other component parts, after which the offcuts are granulated and used as input in injection molding process.

Both HIPS granulate and HIPS sheets includes secondary material in the input raw material. The HIPS granulate contains 15% secondary material from the supplier and with the use of granulated off-cuts from the vacuum forming process, this results in a total shared of secondary input material of 30% for the HIPS granulate. The input of secondary material is 15% for the HIPS sheets and 0% for PP input material.

The remaining component parts, steel rivets and PVC foam strips, are purchased as finished products with no need for extra processing, other than assemble into the finished product.

All machines in the production process run on electricity. The factory's utilities, including electricity, heating, cooling, and water, are also accounted for in the calculation. The factory is heated by a combination of electricity and an oil furnace.

Mass-based allocation has been used for partitioning processes for factory utilities, among J. A. Plast products covered by this EPD. The total mass of produced products from both granulates and sheets is used for allocation of the factory utilities. Also, mass-based allocation has been used for partitioning processes for the injection molding and the vacuum forming. The electricity used for these processes is allocated regarding the total mass of produced products of each type.

The finished product is packaged in cardboard boxes and dispatched to customers on Euro pallets, which are accounted for in module A3. EU pallets are assumed to be reused 25 times, and biogenic carbon content from cardboard and wood is calculated according to EN16485 standards.

The packaging materials for the raw material input appearing in module A1, the plastic waste in production is treated up to the "end-of-waste-state" in module A3, including a waste treatment breakdown of 92% recycling, 4% incineration, and 4% landfill. According to EN15804+A2 §6.3.5.2, waste treatment benefits are not declared in module D but are reported within module A3.

End of Life (C1-C4) includes:

Module C1 is assumed to be zero using manual dismantling.

In C2, the transport distances scenario is set to 50 km by truck based on a Danish national scenario.

In module C3 the declared product is modelled to be incinerated, as it is assumed that the product is sorted as combustible small waste and sent for incineration at a combined heat and power plant.

The incineration of the total product includes steel rivets being incinerated, despite steel not

having a heating value. This leaves an amount of steel slag that needs to go landfill, which is handled in module C4.

Re-use, recovery and recycling potential (D) includes:

Module D includes reuse, recovery and/or recycling potential, expressed as net impact and benefits, due to reuse, recycling and incineration of materials with energy recovery in module C3.

In module D the incineration potential is expressed as a net impact from the incineration of the material with an incineration rate of 100%. The secondary material input in both HIPS granulate and HIPS sheets is subtracted from the mass of the declared unit as this cannot have a credit in module D.

The energy recovery is credited in module D and the energy recovered is based on the calorific values of the different raw materials. Datasets for energy recovery efficiency at the plant have been adjusted to be representative of the efficiency for heat and electricity recovery at Danish combined heating and power plants (CPH plant). The total efficiency for CHP plants in Denmark is around 85-90% (Hjørring Varmeforsyning, 2023), (Støvring Kraftvarmeværk, 2023), (Hofo, 2023), (Rambøll, 2023), (Lundgren, 2009). The efficiency for electricity is set to 43.5% and the efficiency for heat (steam) is set to 45.5%, which is based on average values from actual CHP plants in Denmark (Hjørring Varmeforsyning, 2023), (Støvring Kraftvarmeværk, 2023).

LCA results

Results following EN15804:2012+A2:2019

J.A. Plast Product RA1 - Eaves Closures w. ventilation

ENVIRONMENTAL IMPACTS PER PCS.										
Indicator	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	5.26E-01	3.66E-03	3.77E-01	9.07E-01	0.00E+00	7.04E-04	2.37E-01	0.00E+00	-7.89E-02
GWP-fossil	kg CO ₂ eq.	5.24E-01	3.66E-03	3.81E-01	9.09E-01	0.00E+00	7.03E-04	2.37E-01	0.00E+00	-7.56E-02
GWP-biogenic	kg CO ₂ eq.	1.58E-03	2.53E-06	-3.65E-03	-2.07E-03	0.00E+00	4.87E-07	2.93E-06	0.00E+00	-3.06E-03
GWP-luluc	kg CO ₂ eq.	9.01E-05	1.21E-06	1.30E-04	2.21E-04	0.00E+00	2.33E-07	3.22E-07	0.00E+00	-2.04E-04
ODP	kg CFC 11 eq.	2.25E-09	7.27E-11	5.51E-09	7.83E-09	0.00E+00	1.40E-11	2.53E-10	0.00E+00	-2.99E-09
AP	mol H ⁺ eq.	2.14E-03	7.62E-06	1.39E-03	3.55E-03	0.00E+00	1.46E-06	2.93E-05	0.00E+00	-2.22E-04
EP-freshwater	kg P eq.	3.69E-06	2.86E-08	1.89E-05	2.26E-05	0.00E+00	5.49E-09	3.62E-08	0.00E+00	-3.44E-06
EP-marine	kg N eq.	3.40E-04	1.78E-06	2.37E-04	5.78E-04	0.00E+00	3.43E-07	1.37E-05	0.00E+00	-4.84E-05
EP-terrestrial	mol N eq.	3.71E-03	1.98E-05	2.68E-03	6.41E-03	0.00E+00	3.80E-06	1.48E-04	0.00E+00	-6.40E-04
POCP	kg NMVOC eq.	1.51E-03	1.27E-05	8.14E-04	2.34E-03	0.00E+00	2.43E-06	3.54E-05	0.00E+00	-1.83E-04
ADPm ¹	kg Sb eq.	1.47E-07	1.19E-08	2.77E-06	2.93E-06	0.00E+00	2.29E-09	2.38E-09	0.00E+00	-4.15E-07
ADPf ¹	MJ	1.40E+00	4.28E-03	3.46E+00	4.86E+00	0.00E+00	8.22E-04	2.46E-02	0.00E+00	-5.50E-01
WDP ¹	m ³ world eq. deprived	2.89E-01	2.14E-04	5.18E-02	3.41E-01	0.00E+00	4.10E-05	8.17E-04	0.00E+00	-1.36E-02
Caption		GWP-total = Global Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use								
Disclaimer		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.								

ADDITIONAL ENVIRONMENTAL IMPACTS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.22E-08	2.68E-10	5.41E-09	2.79E-08	0.00E+00	5.15E-11	1.35E-10	0.00E+00	-1.61E-09
IRP ²	[kBq U235 eq.]	3.28E-03	2.38E-05	1.62E-02	1.95E-02	0.00E+00	4.56E-06	3.51E-05	0.00E+00	-7.62E-03
ETP-fw ¹	[CTUe]	3.25E-01	1.40E-02	1.08E+00	1.42E+00	0.00E+00	2.69E-03	1.91E-01	0.00E+00	-2.34E-01
HTP-c ¹	[CTUh]	1.66E-10	2.60E-11	5.50E-10	7.42E-10	0.00E+00	4.99E-12	1.51E-11	0.00E+00	-2.36E-10
HTP-nc ¹	[CTUh]	8.01E-10	3.23E-11	4.22E-09	5.06E-09	0.00E+00	6.21E-12	5.30E-10	0.00E+00	-7.04E-10
SQP ¹	-	2.00E-01	3.11E-02	1.12E+00	1.35E+00	0.00E+00	5.97E-03	5.08E-03	0.00E+00	-1.33E+00
Caption		PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality								
Disclaimers		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.								

RESOURCE USE PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	8.44E-02	8.56E-04	4.38E-01	5.23E-01	0.00E+00	1.64E-04	4.31E-04	0.00E+00	-1.09E+00
PERM	[MJ]	6.30E-02	0.00E+00	1.23E-01	1.86E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	1.47E-01	8.56E-04	5.61E-01	7.09E-01	0.00E+00	1.64E-04	4.31E-04	0.00E+00	-1.09E+00
PENRE	[MJ]	8.41E+00	5.15E-02	5.22E+00	1.37E+01	0.00E+00	9.89E-03	2.89E+00	0.00E+00	-1.25E+00
PENRM	[MJ]	2.87E+00	0.00E+00	-5.56E-03	2.86E+00	0.00E+00	0.00E+00	-2.86E+00	0.00E+00	0.00E+00
PENRT	[MJ]	1.13E+01	5.15E-02	5.22E+00	1.65E+01	0.00E+00	9.89E-03	2.46E-02	0.00E+00	-1.25E+00
SM	[kg]	2.63E-02	0.00E+00	4.10E-03	3.04E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m³]	1.55E-03	7.74E-06	1.48E-03	3.03E-03	0.00E+00	1.49E-06	5.15E-05	0.00E+00	-3.11E-04
Caption		PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water								

WASTE CATEGORIES AND OUTPUT FLOWS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	4.70E-04	1.29E-06	3.11E-04	7.82E-04	0.00E+00	2.48E-07	1.66E-03	0.00E+00	-9.09E-05
NHWD	[kg]	3.60E-03	2.48E-03	1.43E-02	2.04E-02	0.00E+00	4.77E-04	1.80E-03	0.00E+00	-4.92E-03
RWD	[kg]	1.99E-06	1.66E-08	1.14E-05	1.34E-05	0.00E+00	3.19E-09	4.93E-08	0.00E+00	-3.91E-06

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.24E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.30E+00	0.00E+00	0.00E+00
Caption		HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy								

BIOGENIC CARBON CONTENT PER PCS.		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	6.29E-03

J.A. Plast Product RA2 - Eaves Closures

ENVIRONMENTAL IMPACTS PER PCS.										
Indicator	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	5.26E-01	3.66E-03	3.77E-01	9.07E-01	0.00E+00	7.04E-04	2.37E-01	0.00E+00	-7.89E-02
GWP-fossil	kg CO ₂ eq.	5.24E-01	3.66E-03	3.81E-01	9.09E-01	0.00E+00	7.03E-04	2.37E-01	0.00E+00	-7.56E-02
GWP-biogenic	kg CO ₂ eq.	1.58E-03	2.53E-06	-3.65E-03	-2.07E-03	0.00E+00	4.87E-07	2.93E-06	0.00E+00	-3.06E-03
GWP-luluc	kg CO ₂ eq.	9.01E-05	1.21E-06	1.30E-04	2.21E-04	0.00E+00	2.33E-07	3.22E-07	0.00E+00	-2.04E-04
ODP	kg CFC 11 eq.	2.25E-09	7.27E-11	5.51E-09	7.83E-09	0.00E+00	1.40E-11	2.53E-10	0.00E+00	-2.99E-09
AP	mol H ⁺ eq.	2.14E-03	7.62E-06	1.39E-03	3.55E-03	0.00E+00	1.46E-06	2.93E-05	0.00E+00	-2.22E-04
EP-freshwater	kg P eq.	3.69E-06	2.86E-08	1.89E-05	2.26E-05	0.00E+00	5.49E-09	3.62E-08	0.00E+00	-3.44E-06
EP-marine	kg N eq.	3.40E-04	1.78E-06	2.37E-04	5.78E-04	0.00E+00	3.43E-07	1.37E-05	0.00E+00	-4.84E-05
EP-terrestrial	mol N eq.	3.71E-03	1.98E-05	2.68E-03	6.41E-03	0.00E+00	3.80E-06	1.48E-04	0.00E+00	-6.40E-04
POCP	kg NMVOC eq.	1.51E-03	1.27E-05	8.14E-04	2.34E-03	0.00E+00	2.43E-06	3.54E-05	0.00E+00	-1.83E-04
ADPm ¹	kg Sb eq.	1.47E-07	1.19E-08	2.77E-06	2.93E-06	0.00E+00	2.29E-09	2.38E-09	0.00E+00	-4.15E-07
ADPf ¹	MJ	1.40E+00	4.28E-03	3.46E+00	4.86E+00	0.00E+00	8.22E-04	2.46E-02	0.00E+00	-5.50E-01
WDP ¹	m ³ world eq. deprived	2.89E-01	2.14E-04	5.18E-02	3.41E-01	0.00E+00	4.10E-05	8.17E-04	0.00E+00	-1.36E-02
Caption		GWP-total = Global Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use								
Disclaimer		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.								

ADDITIONAL ENVIRONMENTAL IMPACTS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.22E-08	2.68E-10	5.41E-09	2.79E-08	0.00E+00	5.15E-11	1.35E-10	0.00E+00	-1.61E-09
IRP ²	[kBq U235 eq.]	3.28E-03	2.38E-05	1.62E-02	1.95E-02	0.00E+00	4.56E-06	3.51E-05	0.00E+00	-7.62E-03
ETP-fw ¹	[CTUe]	3.25E-01	1.40E-02	1.08E+00	1.42E+00	0.00E+00	2.69E-03	1.91E-01	0.00E+00	-2.34E-01
HTP-c ¹	[CTUh]	1.66E-10	2.60E-11	5.50E-10	7.42E-10	0.00E+00	4.99E-12	1.51E-11	0.00E+00	-2.36E-10
HTP-nc ¹	[CTUh]	8.01E-10	3.23E-11	4.22E-09	5.06E-09	0.00E+00	6.21E-12	5.30E-10	0.00E+00	-7.04E-10
SQP ¹	-	2.00E-01	3.11E-02	1.12E+00	1.35E+00	0.00E+00	5.97E-03	5.08E-03	0.00E+00	-1.33E+00
Caption		PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality								
Disclaimers		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.								

RESOURCE USE PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	8.44E-02	8.56E-04	4.38E-01	5.23E-01	0.00E+00	1.64E-04	4.31E-04	0.00E+00	-1.09E+00
PERM	[MJ]	6.30E-02	0.00E+00	1.23E-01	1.86E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	1.47E-01	8.56E-04	5.61E-01	7.09E-01	0.00E+00	1.64E-04	4.31E-04	0.00E+00	-1.09E+00
PENRE	[MJ]	8.41E+00	5.15E-02	5.22E+00	1.37E+01	0.00E+00	9.89E-03	2.89E+00	0.00E+00	-1.25E+00
PENRM	[MJ]	2.87E+00	0.00E+00	-5.56E-03	2.86E+00	0.00E+00	0.00E+00	-2.86E+00	0.00E+00	0.00E+00
PENRT	[MJ]	1.13E+01	5.15E-02	5.22E+00	1.65E+01	0.00E+00	9.89E-03	2.46E-02	0.00E+00	-1.25E+00
SM	[kg]	2.63E-02	0.00E+00	4.10E-03	3.04E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m³]	1.55E-03	7.74E-06	1.48E-03	3.03E-03	0.00E+00	1.49E-06	5.15E-05	0.00E+00	-3.11E-04
Caption		PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water								

WASTE CATEGORIES AND OUTPUT FLOWS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	4.70E-04	1.29E-06	3.11E-04	7.82E-04	0.00E+00	2.48E-07	1.66E-03	0.00E+00	-9.09E-05
NHWD	[kg]	3.60E-03	2.48E-03	1.43E-02	2.04E-02	0.00E+00	4.77E-04	1.80E-03	0.00E+00	-4.92E-03
RWD	[kg]	1.99E-06	1.66E-08	1.14E-05	1.34E-05	0.00E+00	3.19E-09	4.93E-08	0.00E+00	-3.91E-06
CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.24E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.30E+00	0.00E+00	0.00E+00
Caption		HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy								

BIOGENIC CARBON CONTENT PER PCS.		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	6.29E-03

J.A. Plast Product RA3 - Ridge element for roof space ventilation

ENVIRONMENTAL IMPACTS PER PCS.										
Indicator	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	1.18E+00	1.00E-01	-2.36E-03	1.27E+00	0.00E+00	4.36E-03	1.47E+00	0.00E+00	-4.33E-01
GWP-fossil	kg CO ₂ eq.	1.17E+00	1.00E-01	1.78E-01	1.45E+00	0.00E+00	4.36E-03	1.47E+00	0.00E+00	-4.15E-01
GWP-biogenic	kg CO ₂ eq.	5.07E-03	6.94E-05	-1.81E-01	-1.76E-01	0.00E+00	3.02E-06	1.82E-05	0.00E+00	-1.68E-02
GWP-luluc	kg CO ₂ eq.	6.98E-06	3.33E-05	6.51E-05	1.05E-04	0.00E+00	1.45E-06	1.99E-06	0.00E+00	-1.12E-03
ODP	kg CFC 11 eq.	4.60E-10	1.99E-09	2.99E-09	5.44E-09	0.00E+00	8.67E-11	1.57E-09	0.00E+00	-1.64E-08
AP	mol H ⁺ eq.	4.67E-03	2.09E-04	1.01E-03	5.89E-03	0.00E+00	9.08E-06	1.82E-04	0.00E+00	-1.22E-03
EP-freshwater	kg P eq.	1.39E-06	7.82E-07	7.48E-06	9.65E-06	0.00E+00	3.40E-08	2.25E-07	0.00E+00	-1.89E-05
EP-marine	kg N eq.	7.17E-04	4.88E-05	1.30E-04	8.96E-04	0.00E+00	2.13E-06	8.51E-05	0.00E+00	-2.66E-04
EP-terrestrial	mol N eq.	7.79E-03	5.41E-04	1.44E-03	9.77E-03	0.00E+00	2.35E-05	9.15E-04	0.00E+00	-3.51E-03
POCP	kg NMVOC eq.	3.37E-03	3.47E-04	5.12E-04	4.23E-03	0.00E+00	1.51E-05	2.20E-04	0.00E+00	-1.01E-03
ADPm ¹	kg Sb eq.	1.75E-07	3.26E-07	1.02E-06	1.52E-06	0.00E+00	1.42E-08	1.47E-08	0.00E+00	-2.27E-06
ADPf ¹	MJ	2.14E+00	1.17E-01	1.21E+00	3.47E+00	0.00E+00	5.10E-03	1.53E-01	0.00E+00	-3.02E+00
WDP ¹	m ³ world eq. deprived	7.20E-01	5.85E-03	3.11E-02	7.57E-01	0.00E+00	2.54E-04	5.07E-03	0.00E+00	-7.49E-02
Caption		GWP-total = Global Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use								
Disclaimer		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.								

ADDITIONAL ENVIRONMENTAL IMPACTS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PM	[Disease incidence]	4.95E-08	7.34E-09	6.79E-09	6.37E-08	0.00E+00	3.20E-10	8.35E-10	0.00E+00	-8.85E-09
IRP ²	[kBq U235 eq.]	3.36E-04	6.50E-04	5.57E-03	6.55E-03	0.00E+00	2.83E-05	2.18E-04	0.00E+00	-4.18E-02
ETP-fw ¹	[CTUe]	3.02E-01	3.83E-01	8.87E-01	1.57E+00	0.00E+00	1.67E-02	1.19E+00	0.00E+00	-1.29E+00
HTP-c ¹	[CTUh]	1.35E-10	7.11E-10	1.78E-09	2.62E-09	0.00E+00	3.09E-11	9.39E-11	0.00E+00	-1.29E-09
HTP-nc ¹	[CTUh]	9.62E-10	8.85E-10	1.72E-09	3.57E-09	0.00E+00	3.85E-11	3.29E-09	0.00E+00	-3.86E-09
SQP ¹	-	1.05E-01	8.51E-01	3.84E+00	4.79E+00	0.00E+00	3.71E-02	3.15E-02	0.00E+00	-7.32E+00
Caption		PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality								
Disclaimers		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.								

RESOURCE USE PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	4.44E-03	2.34E-02	-6.05E+00	-6.03E+00	0.00E+00	1.02E-03	2.67E-03	0.00E+00	-5.98E+00
PERM	[MJ]	1.20E-01	0.00E+00	6.81E+00	6.93E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	1.24E-01	2.34E-02	7.61E-01	9.09E-01	0.00E+00	1.02E-03	2.67E-03	0.00E+00	-5.98E+00
PENRE	[MJ]	9.00E+00	1.41E+00	2.51E+00	1.29E+01	0.00E+00	6.13E-02	1.79E+01	0.00E+00	-6.84E+00
PENRM	[MJ]	1.79E+01	0.00E+00	-1.67E-01	1.78E+01	0.00E+00	0.00E+00	-1.77E+01	0.00E+00	0.00E+00
PENRT	[MJ]	2.69E+01	1.41E+00	2.34E+00	3.07E+01	0.00E+00	6.13E-02	1.52E-01	0.00E+00	-6.84E+00
SM	[kg]	1.48E-01	0.00E+00	4.59E-01	6.07E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m³]	3.22E-03	2.12E-04	8.51E-04	4.28E-03	0.00E+00	9.23E-06	3.19E-04	0.00E+00	-1.71E-03
Caption		PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water								

WASTE CATEGORIES AND OUTPUT FLOWS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	1.08E-03	3.53E-05	2.16E-04	1.33E-03	0.00E+00	1.54E-06	1.03E-02	0.00E+00	-4.99E-04
NHWD	[kg]	3.89E-03	6.80E-02	7.24E-03	7.92E-02	0.00E+00	2.96E-03	1.12E-02	0.00E+00	-2.70E-02
RWD	[kg]	2.66E-07	4.54E-07	3.84E-06	4.56E-06	0.00E+00	1.98E-08	3.06E-07	0.00E+00	-2.15E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	7.72E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	8.08E+00	0.00E+00	0.00E+00
Caption		HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy								

BIOGENIC CARBON CONTENT PER PCS.		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	2.02E-01

J.A. Plast Product RA4 - Ridge element for roof space ventilation for B5 and B9

ENVIRONMENTAL IMPACTS PER PCS.										
Indicator	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	4.41E+00	5.74E-02	2.59E+00	7.06E+00	0.00E+00	6.87E-03	2.16E+00	3.44E-05	-7.98E-01
GWP-fossil	kg CO ₂ eq.	4.40E+00	5.73E-02	2.68E+00	7.14E+00	0.00E+00	6.87E-03	2.16E+00	3.44E-05	-7.65E-01
GWP-biogenic	kg CO ₂ eq.	1.25E-02	3.97E-05	-9.26E-02	-8.00E-02	0.00E+00	4.76E-06	4.04E-05	4.74E-09	-3.10E-02
GWP-luluc	kg CO ₂ eq.	7.46E-04	1.90E-05	3.82E-04	1.15E-03	0.00E+00	2.28E-06	4.58E-06	1.77E-08	-2.06E-03
ODP	kg CFC 11 eq.	2.02E-08	1.14E-09	3.80E-08	5.94E-08	0.00E+00	1.37E-10	2.19E-09	9.94E-13	-3.03E-08
AP	mol H ⁺ eq.	1.77E-02	1.19E-04	9.91E-03	2.78E-02	0.00E+00	1.43E-05	2.78E-04	2.44E-07	-2.25E-03
EP-freshwater	kg P eq.	3.02E-05	4.48E-07	1.31E-04	1.61E-04	0.00E+00	5.36E-08	3.72E-07	3.38E-10	-3.48E-05
EP-marine	kg N eq.	2.81E-03	2.80E-05	1.59E-03	4.43E-03	0.00E+00	3.35E-06	1.28E-04	9.23E-08	-4.90E-04
EP-terrestrial	mol N eq.	3.07E-02	3.10E-04	1.84E-02	4.94E-02	0.00E+00	3.71E-05	1.38E-03	1.01E-06	-6.47E-03
POCP	kg NMVOC eq.	1.26E-02	1.99E-04	5.65E-03	1.84E-02	0.00E+00	2.38E-05	3.35E-04	3.63E-07	-1.85E-03
ADPm ¹	kg Sb eq.	1.37E-06	1.87E-07	1.96E-05	2.12E-05	0.00E+00	2.24E-08	3.12E-08	5.37E-11	-4.19E-06
ADPf ¹	MJ	1.12E+01	6.71E-02	2.45E+01	3.57E+01	0.00E+00	8.03E-03	1.99E-01	5.22E-05	-5.56E+00
WDP ¹	m ³ world eq. deprived	2.47E+00	3.35E-03	3.45E-01	2.82E+00	0.00E+00	4.01E-04	2.80E-02	3.69E-05	-1.38E-01
Caption		GWP-total = Global Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use								
Disclaimer		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.								

ADDITIONAL ENVIRONMENTAL IMPACTS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PM	[Disease incidence]	1.85E-07	4.20E-09	3.84E-08	2.28E-07	0.00E+00	5.03E-10	1.36E-09	5.54E-12	-1.63E-08
IRP ²	[kBq U235 eq.]	2.40E-02	3.72E-04	1.14E-01	1.38E-01	0.00E+00	4.46E-05	3.36E-04	2.09E-07	-7.71E-02
ETP-fw ¹	[CTUe]	2.92E+00	2.20E-01	7.54E+00	1.07E+01	0.00E+00	2.63E-02	2.01E+00	1.15E-04	-2.37E+00
HTP-c ¹	[CTUh]	1.90E-09	4.07E-10	5.12E-09	7.43E-09	0.00E+00	4.87E-11	1.81E-10	1.55E-13	-2.39E-09
HTP-nc ¹	[CTUh]	7.42E-09	5.07E-10	2.94E-08	3.73E-08	0.00E+00	6.07E-11	4.48E-09	1.44E-13	-7.11E-09
SQP ¹	-	1.62E+00	4.87E-01	8.53E+00	1.06E+01	0.00E+00	5.84E-02	6.04E-02	1.66E-03	-1.35E+01
Caption		PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality								
Disclaimers		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.								

RESOURCE USE PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	6.35E-01	1.34E-02	-2.36E+00	-1.71E+00	0.00E+00	1.61E-03	5.56E-03	7.58E-06	-1.10E+01
PERM	[MJ]	5.07E-01	0.00E+00	6.43E+00	6.93E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	1.14E+00	1.34E-02	4.07E+00	5.23E+00	0.00E+00	1.61E-03	5.56E-03	7.58E-06	-1.10E+01
PENRE	[MJ]	6.73E+01	8.07E-01	3.67E+01	1.05E+02	0.00E+00	9.66E-02	2.80E+01	8.43E-04	-1.26E+01
PENRM	[MJ]	2.79E+01	0.00E+00	-1.08E-01	2.78E+01	0.00E+00	0.00E+00	-2.78E+01	0.00E+00	0.00E+00
PENRT	[MJ]	9.52E+01	8.07E-01	3.66E+01	1.33E+02	0.00E+00	9.66E-02	2.41E-01	8.43E-04	-1.26E+01
SM	[kg]	1.87E-01	0.00E+00	4.59E-01	6.46E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m³]	1.33E-02	1.21E-04	8.44E-03	2.18E-02	0.00E+00	1.45E-05	9.52E-04	8.76E-07	-3.14E-03
Caption		PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water								

WASTE CATEGORIES AND OUTPUT FLOWS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	3.97E-03	2.02E-05	1.77E-03	5.76E-03	0.00E+00	2.42E-06	2.26E-02	1.18E-08	-9.19E-04
NHWD	[kg]	3.14E-02	3.89E-02	9.02E-02	1.61E-01	0.00E+00	4.66E-03	1.82E-02	5.50E-03	-4.98E-02
RWD	[kg]	1.47E-05	2.60E-07	7.96E-05	9.46E-05	0.00E+00	3.11E-08	4.47E-07	1.31E-10	-3.96E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.21E+01	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.26E+01	0.00E+00	0.00E+00
Caption		HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy								

BIOGENIC CARBON CONTENT PER PCS.		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	2.02E-01

J.A. Plast Product RA5 - Ridge ventilation

ENVIRONMENTAL IMPACTS PER PCS.										
Indicator	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	7.44E+00	8.20E-02	4.81E+00	1.23E+01	0.00E+00	1.13E-02	3.48E+00	1.97E-04	-1.24E+00
GWP-fossil	kg CO ₂ eq.	7.42E+00	8.19E-02	4.85E+00	1.24E+01	0.00E+00	1.13E-02	3.48E+00	1.97E-04	-1.19E+00
GWP-biogenic	kg CO ₂ eq.	1.87E-02	5.67E-05	-4.76E-02	-2.89E-02	0.00E+00	7.81E-06	5.37E-05	2.72E-08	-4.80E-02
GWP-luluc	kg CO ₂ eq.	1.67E-03	2.72E-05	1.63E-03	3.33E-03	0.00E+00	3.74E-06	6.41E-06	1.01E-07	-3.20E-03
ODP	kg CFC 11 eq.	3.17E-08	1.63E-09	7.04E-08	1.04E-07	0.00E+00	2.24E-10	3.48E-09	5.69E-12	-4.69E-08
AP	mol H ⁺ eq.	3.01E-02	1.71E-04	1.79E-02	4.82E-02	0.00E+00	2.35E-05	4.43E-04	1.40E-06	-3.49E-03
EP-freshwater	kg P eq.	6.44E-05	6.39E-07	2.40E-04	3.05E-04	0.00E+00	8.79E-08	5.66E-07	1.94E-09	-5.40E-05
EP-marine	kg N eq.	4.80E-03	3.99E-05	3.02E-03	7.86E-03	0.00E+00	5.49E-06	2.06E-04	5.29E-07	-7.59E-04
EP-terrestrial	mol N eq.	5.22E-02	4.42E-04	3.42E-02	8.68E-02	0.00E+00	6.08E-05	2.22E-03	5.81E-06	-1.00E-02
POCP	kg NMVOC eq.	2.13E-02	2.83E-04	1.04E-02	3.20E-02	0.00E+00	3.90E-05	5.38E-04	2.08E-06	-2.87E-03
ADPm ¹	kg Sb eq.	2.53E-06	2.66E-07	3.52E-05	3.80E-05	0.00E+00	3.67E-08	4.57E-08	3.08E-10	-6.50E-06
ADPf ¹	MJ	1.95E+01	9.58E-02	4.39E+01	6.35E+01	0.00E+00	1.32E-02	3.32E-01	2.99E-04	-8.62E+00
WDP ¹	m ³ world eq. deprived	4.15E+00	4.78E-03	6.62E-01	4.81E+00	0.00E+00	6.58E-04	2.52E-02	2.11E-04	-2.14E-01
Caption		GWP-total = Global Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use								
Disclaimer		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.								

ADDITIONAL ENVIRONMENTAL IMPACTS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PM	[Disease incidence]	3.18E-07	6.00E-09	7.01E-08	3.94E-07	0.00E+00	8.26E-10	2.26E-09	3.17E-11	-2.53E-08
IRP ²	[kBq U235 eq.]	4.37E-02	5.31E-04	2.06E-01	2.50E-01	0.00E+00	7.31E-05	5.12E-04	1.19E-06	-1.19E-01
ETP-fw ¹	[CTUe]	6.40E+00	3.13E-01	1.38E+01	2.05E+01	0.00E+00	4.31E-02	2.87E+00	6.60E-04	-3.68E+00
HTP-c ¹	[CTUh]	5.68E-09	5.81E-10	7.15E-09	1.34E-08	0.00E+00	8.00E-11	2.82E-10	8.90E-13	-3.70E-09
HTP-nc ¹	[CTUh]	1.68E-08	7.23E-10	5.36E-08	7.12E-08	0.00E+00	9.95E-11	7.42E-09	8.25E-13	-1.10E-08
SQP ¹	-	3.05E+00	6.96E-01	1.44E+01	1.82E+01	0.00E+00	9.57E-02	1.03E-01	9.50E-03	-2.09E+01
Caption		PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality								
Disclaimers		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.								

RESOURCE USE PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	1.16E+00	1.92E-02	5.05E+00	6.23E+00	0.00E+00	2.64E-03	7.71E-03	4.34E-05	-1.71E+01
PERM	[MJ]	8.78E-01	0.00E+00	2.12E+00	3.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	2.04E+00	1.92E-02	7.16E+00	9.22E+00	0.00E+00	2.64E-03	7.71E-03	4.34E-05	-1.71E+01
PENRE	[MJ]	1.15E+02	1.15E+00	6.66E+01	1.83E+02	0.00E+00	1.58E-01	4.41E+01	4.83E-03	-1.95E+01
PENRM	[MJ]	4.38E+01	0.00E+00	-1.39E-01	4.37E+01	0.00E+00	0.00E+00	-4.37E+01	0.00E+00	0.00E+00
PENRT	[MJ]	1.59E+02	1.15E+00	6.64E+01	2.27E+02	0.00E+00	1.58E-01	3.87E-01	4.83E-03	-1.95E+01
SM	[kg]	3.34E-01	0.00E+00	9.61E-02	4.30E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m³]	2.49E-02	1.73E-04	1.88E-02	4.39E-02	0.00E+00	2.38E-05	1.06E-03	5.02E-06	-4.88E-03
Caption		PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water								

WASTE CATEGORIES AND OUTPUT FLOWS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	6.64E-03	2.88E-05	3.98E-03	1.06E-02	0.00E+00	3.97E-06	6.61E-02	6.78E-08	-1.43E-03
NHWD	[kg]	6.38E-02	5.56E-02	1.82E-01	3.01E-01	0.00E+00	7.65E-03	2.80E-02	3.15E-02	-7.72E-02
RWD	[kg]	2.66E-05	3.71E-07	1.45E-04	1.72E-04	0.00E+00	5.11E-08	6.91E-07	7.51E-10	-6.13E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.90E+01	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	1.99E+01	0.00E+00	0.00E+00
Caption		HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy								

BIOGENIC CARBON CONTENT PER PCS.		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	9.81E-02

J.A. Plast Product RA6 - Valley Ventilation Element

ENVIRONMENTAL IMPACTS PER PCS.										
Indicator	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	1.04E+00	4.63E-02	8.38E-02	1.17E+00	0.00E+00	2.67E-03	7.34E-01	0.00E+00	-3.59E-01
GWP-fossil	kg CO ₂ eq.	1.03E+00	4.62E-02	1.23E-01	1.20E+00	0.00E+00	2.66E-03	7.34E-01	0.00E+00	-3.44E-01
GWP-biogenic	kg CO ₂ eq.	5.53E-03	3.20E-05	-3.96E-02	-3.40E-02	0.00E+00	1.85E-06	1.41E-05	0.00E+00	-1.39E-02
GWP-luluc	kg CO ₂ eq.	4.42E-06	1.53E-05	2.33E-04	2.52E-04	0.00E+00	8.85E-07	1.94E-06	0.00E+00	-9.28E-04
ODP	kg CFC 11 eq.	3.29E-10	9.19E-10	2.44E-09	3.68E-09	0.00E+00	5.30E-11	1.01E-10	0.00E+00	-1.36E-08
AP	mol H ⁺ eq.	3.83E-03	9.63E-05	6.83E-04	4.61E-03	0.00E+00	5.55E-06	9.39E-05	0.00E+00	-1.01E-03
EP-freshwater	kg P eq.	1.07E-06	3.61E-07	5.69E-06	7.12E-06	0.00E+00	2.08E-08	9.03E-08	0.00E+00	-1.57E-05
EP-marine	kg N eq.	5.94E-04	2.25E-05	1.17E-04	7.34E-04	0.00E+00	1.30E-06	4.40E-05	0.00E+00	-2.20E-04
EP-terrestrial	mol N eq.	6.45E-03	2.50E-04	1.15E-03	7.84E-03	0.00E+00	1.44E-05	4.82E-04	0.00E+00	-2.91E-03
POCP	kg NMVOC eq.	2.73E-03	1.60E-04	3.77E-04	3.27E-03	0.00E+00	9.22E-06	1.20E-04	0.00E+00	-8.33E-04
ADPm ¹	kg Sb eq.	1.43E-07	1.50E-07	6.32E-07	9.26E-07	0.00E+00	8.67E-09	1.55E-08	0.00E+00	-1.89E-06
ADPF ¹	MJ	1.74E+00	5.41E-02	7.54E-01	2.55E+00	0.00E+00	3.12E-03	1.45E-02	0.00E+00	-2.50E+00
WDP ¹	m ³ world eq. deprived	6.36E-01	2.70E-03	2.82E-02	6.67E-01	0.00E+00	1.56E-04	4.14E-03	0.00E+00	-6.21E-02
Caption		GWP-total = Global Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPF = Abiotic Depletion Potential – fossil fuels; WDP = water use								
Disclaimer		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.								

ADDITIONAL ENVIRONMENTAL IMPACTS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PM	[Disease incidence]	4.04E-08	3.39E-09	4.39E-09	4.81E-08	0.00E+00	1.95E-10	4.83E-10	0.00E+00	-7.33E-09
IRP ²	[kBq U235 eq.]	2.13E-04	3.00E-04	3.94E-03	4.45E-03	0.00E+00	1.73E-05	3.14E-05	0.00E+00	-3.47E-02
ETP-fw ¹	[CTUe]	2.34E-01	1.77E-01	5.05E-01	9.17E-01	0.00E+00	1.02E-02	1.63E-01	0.00E+00	-1.07E+00
HTP-c ¹	[CTUh]	9.91E-11	3.28E-10	3.34E-10	7.61E-10	0.00E+00	1.89E-11	1.04E-10	0.00E+00	-1.07E-09
HTP-nc ¹	[CTUh]	8.56E-10	4.08E-10	1.24E-09	2.51E-09	0.00E+00	2.35E-11	1.04E-09	0.00E+00	-3.20E-09
SQP ¹	-	6.75E-02	3.93E-01	1.41E+00	1.87E+00	0.00E+00	2.26E-02	1.94E-02	0.00E+00	-6.07E+00
Caption		PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality								
Disclaimers		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.								

RESOURCE USE PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	2.51E-02	1.08E-02	-3.84E-01	-3.48E-01	0.00E+00	6.23E-04	1.65E-03	0.00E+00	-4.96E+00
PERM	[MJ]	7.33E-02	0.00E+00	6.98E-01	7.72E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	9.84E-02	1.08E-02	3.15E-01	4.24E-01	0.00E+00	6.23E-04	1.65E-03	0.00E+00	-4.96E+00
PENRE	[MJ]	1.20E+01	6.50E-01	1.77E+00	1.45E+01	0.00E+00	3.75E-02	1.14E+01	0.00E+00	-5.66E+00
PENRM	[MJ]	1.14E+01	0.00E+00	-1.02E-01	1.13E+01	0.00E+00	0.00E+00	-1.13E+01	0.00E+00	0.00E+00
PENRT	[MJ]	2.35E+01	6.50E-01	1.67E+00	2.58E+01	0.00E+00	3.75E-02	7.25E-02	0.00E+00	-5.66E+00
SM	[kg]	4.85E-03	0.00E+00	2.93E-02	3.41E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m³]	2.48E-03	9.78E-05	1.30E-03	3.88E-03	0.00E+00	5.64E-06	1.77E-04	0.00E+00	-1.41E-03
Caption		PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water								

WASTE CATEGORIES AND OUTPUT FLOWS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	9.74E-04	1.63E-05	3.14E-04	1.30E-03	0.00E+00	9.39E-07	5.27E-03	0.00E+00	-4.14E-04
NHWD	[kg]	3.26E-03	3.14E-02	8.29E-03	4.29E-02	0.00E+00	1.81E-03	4.38E-03	0.00E+00	-2.24E-02
RWD	[kg]	1.69E-07	2.10E-07	2.84E-06	3.21E-06	0.00E+00	1.21E-08	2.06E-08	0.00E+00	-1.78E-05

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	4.92E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	5.15E+00	0.00E+00	0.00E+00
Caption		HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy								

BIOGENIC CARBON CONTENT PER PCS.		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	2.48E-02

J.A. Plast Product RA7 - Vent strip (ridge vent strip)

ENVIRONMENTAL IMPACTS PER PCS.										
Indicator	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
GWP-total	kg CO ₂ eq.	4.74E-01	4.04E-02	6.95E-02	5.84E-01	0.00E+00	1.76E-03	5.92E-01	0.00E+00	-1.75E-01
GWP-fossil	kg CO ₂ eq.	4.72E-01	4.04E-02	6.88E-02	5.81E-01	0.00E+00	1.76E-03	5.92E-01	0.00E+00	-1.67E-01
GWP-biogenic	kg CO ₂ eq.	2.04E-03	2.80E-05	6.62E-04	2.73E-03	0.00E+00	1.22E-06	7.32E-06	0.00E+00	-6.78E-03
GWP-luluc	kg CO ₂ eq.	2.81E-06	1.34E-05	5.15E-05	6.77E-05	0.00E+00	5.83E-07	8.04E-07	0.00E+00	-4.51E-04
ODP	kg CFC 11 eq.	1.86E-10	8.03E-10	1.28E-09	2.27E-09	0.00E+00	3.49E-11	6.32E-10	0.00E+00	-6.62E-09
AP	mol H ⁺ eq.	1.88E-03	8.41E-05	3.96E-04	2.36E-03	0.00E+00	3.66E-06	7.33E-05	0.00E+00	-4.92E-04
EP-freshwater	kg P eq.	5.61E-07	3.15E-07	2.80E-06	3.68E-06	0.00E+00	1.37E-08	9.06E-08	0.00E+00	-7.62E-06
EP-marine	kg N eq.	2.89E-04	1.97E-05	5.41E-05	3.63E-04	0.00E+00	8.57E-07	3.43E-05	0.00E+00	-1.07E-04
EP-terrestrial	mol N eq.	3.14E-03	2.18E-04	5.68E-04	3.93E-03	0.00E+00	9.49E-06	3.69E-04	0.00E+00	-1.42E-03
POCP	kg NMVOC eq.	1.36E-03	1.40E-04	1.95E-04	1.69E-03	0.00E+00	6.08E-06	8.85E-05	0.00E+00	-4.05E-04
ADPm ¹	kg Sb eq.	7.04E-08	1.31E-07	3.64E-07	5.66E-07	0.00E+00	5.72E-09	5.94E-09	0.00E+00	-9.17E-07
ADPf ¹	MJ	8.63E-01	4.72E-02	4.48E-01	1.36E+00	0.00E+00	2.06E-03	6.15E-02	0.00E+00	-1.22E+00
WDP ¹	m ³ world eq. deprived	2.90E-01	2.36E-03	1.27E-02	3.05E-01	0.00E+00	1.03E-04	2.04E-03	0.00E+00	-3.02E-02
Caption		GWP-total = Global Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water use								
Disclaimer		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.								

ADDITIONAL ENVIRONMENTAL IMPACTS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PM	[Disease incidence]	2.00E-08	2.96E-09	2.30E-09	2.52E-08	0.00E+00	1.29E-10	3.37E-10	0.00E+00	-3.57E-09
IRP ²	[kBq U235 eq.]	1.35E-04	2.62E-04	2.18E-03	2.58E-03	0.00E+00	1.14E-05	8.78E-05	0.00E+00	-1.69E-02
ETP-fw ¹	[CTUe]	1.22E-01	1.55E-01	1.98E-01	4.75E-01	0.00E+00	6.73E-03	4.79E-01	0.00E+00	-5.19E-01
HTP-c ¹	[CTUh]	5.46E-11	2.87E-10	1.20E-10	4.61E-10	0.00E+00	1.25E-11	3.78E-11	0.00E+00	-5.22E-10
HTP-nc ¹	[CTUh]	3.88E-10	3.57E-10	6.29E-10	1.37E-09	0.00E+00	1.55E-11	1.33E-09	0.00E+00	-1.56E-09
SQP ¹	-	4.23E-02	3.43E-01	3.40E-01	7.26E-01	0.00E+00	1.49E-02	1.27E-02	0.00E+00	-2.95E+00
Caption		PM = Particulate Matter emissions; IRP = Ionizing radiation – human health; ETP-fw = Eco toxicity – freshwater; HTP-c = Human toxicity – cancer effects; HTP-nc = Human toxicity – non cancer effects; SQP = Soil Quality								
Disclaimers		¹ The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator. ² This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.								

RESOURCE USE PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
PERE	[MJ]	1.79E-03	9.44E-03	1.95E-02	3.07E-02	0.00E+00	4.11E-04	1.08E-03	0.00E+00	-2.41E+00
PERM	[MJ]	4.83E-02	0.00E+00	8.45E-02	1.33E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERT	[MJ]	5.01E-02	9.44E-03	1.04E-01	1.64E-01	0.00E+00	4.11E-04	1.08E-03	0.00E+00	-2.41E+00
PENRE	[MJ]	3.63E+00	5.68E-01	9.92E-01	5.19E+00	0.00E+00	2.47E-02	7.22E+00	0.00E+00	-2.76E+00
PENRM	[MJ]	7.22E+00	0.00E+00	-6.72E-02	7.15E+00	0.00E+00	0.00E+00	-7.15E+00	0.00E+00	0.00E+00
PENRT	[MJ]	1.08E+01	5.68E-01	9.24E-01	1.23E+01	0.00E+00	2.47E-02	6.15E-02	0.00E+00	-2.76E+00
SM	[kg]	5.95E-02	0.00E+00	4.38E-03	6.39E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FW	[m³]	1.30E-03	8.54E-05	4.39E-04	1.82E-03	0.00E+00	3.72E-06	1.29E-04	0.00E+00	-6.88E-04
Caption		PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non renewable primary energy excluding non renewable primary energy resources used as raw materials; PENRM = Use of non renewable primary energy resources used as raw materials; PENRT = Total use of non renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non renewable secondary fuels; FW = Net use of fresh water								

WASTE CATEGORIES AND OUTPUT FLOWS PER PCS.										
Parameter	Unit	A1	A2	A3	A1-A3	C1	C2	C3	C4	D
HWD	[kg]	4.36E-04	1.42E-05	1.20E-04	5.70E-04	0.00E+00	6.19E-07	4.15E-03	0.00E+00	-2.01E-04
NHWD	[kg]	1.57E-03	2.74E-02	2.88E-03	3.19E-02	0.00E+00	1.19E-03	4.51E-03	0.00E+00	-1.09E-02
RWD	[kg]	1.07E-07	1.83E-07	1.54E-06	1.83E-06	0.00E+00	7.97E-09	1.23E-07	0.00E+00	-8.65E-06

CRU	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	[kg]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EEE	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.11E+00	0.00E+00	0.00E+00
EET	[MJ]	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	3.26E+00	0.00E+00	0.00E+00
Caption		HWD = Hazardous waste disposed; NHWD = Non hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for re-use; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy								

BIOGENIC CARBON CONTENT PER PCS.		
Parameter	Unit	At the factory gate
Biogenic carbon content in product	kg C	0.00E+00
Biogenic carbon content in accompanying packaging	kg C	4.33E-03

Additional information

LCA interpretation

The results in accordance with DS/EN 15804+A2 show that the life cycle modules A1-A3 have the largest contribution to all 13 core environmental impact categories for the products including vacuum formed components. For the products including injection molded components, the modules C1-C4, have a slightly larger contribution to the impact category GWP-total and GWP-fossil.

The vacuum forming process has a high energy consumption, which has a large contribution to the emissions. The contribution from the injection molded components is significantly smaller than that of vacuum forming.

The process of packaging has the largest contribution to the impact category of Climate Change biogenic, due to the use of the biogenic materials of wood and cardboard.

For GWP-total and GWP-fossil the End-of-Life stage has a significant impact, which is a result of incineration of the plastic material.

Technical information on scenarios

Reference service life

RSL information		Unit
Reference service Life	-	Years

End of life (C1-C4)

Scenario information	Eaves Closures with ventilation	Eaves Closures	Ridge element for roof space ventilation	Ridge element for roof space ventilation for B5 and B9	Ridge ventilation	Valley Ventilation Element	Vent strip (ridge vent strip)	Unit
	RA1	RA2	RA3	RA4	RA5	RA6	RA7	
Collected separately	-	-	-	-	-	-	-	kg
Collected with mixed waste	0.074	0.074	0.459	0.723	1.186	0.281	0.185	kg
For reuse	-	-	-	-	-	-	-	kg
For recycling	-	-	-	-	-	-	-	kg
For energy recovery	0.064	0.064	0.353	0.645	1.002	0.281	0.142	kg
For final disposal	-	-	-	-	-	-	-	kg
Assumptions for scenario development	-	-	-	-	-	-	-	As appropriate

Re-use, recovery and recycling potential (D)

Scenario information	Eaves Closures with ventilation	Eaves Closures	Ridge element for roof space ventilation	Ridge element for roof space ventilation for B5 and B9	Ridge ventilation	Valley Ventilation Element	Vent strip (ridge vent strip)	Unit
	RA1	RA2	RA3	RA4	RA5	RA6	RA7	
Displaced material	-	-	-	-	-	-	-	kg
Energy recovery from waste incineration	0.064	0.064	0.353	0.645	1.002	0.281	0.142	kg


Indoor air

The EPD does not give information on release of dangerous substances to indoor air because the horizontal standards on the relevant measurements are not available. Read more in EN15804+A1 chapter 7.4.1.

Soil and water

The EPD does not give information on release of dangerous substances to soil and water because the horizontal standards on the relevant measurements are not available. Read more in EN15804+A1 chapter 7.4.2.

References

Publisher	 epddanmark www.epddanmark.dk Template version 2024.2
Programme operator	Danish Technological Institute Gregersensvej DK-2630 Taastrup www.teknologisk.dk
LCA-practitioner	<i>Helene Frederiksen</i> <i>Nana Lin Rasmussen</i> <i>Sweco A/S Ørestads Blvd. 41,</i> <i>2300 København,</i> <i>Denmark</i>
LCA software / background data	Generic data are based on life cycle inventory data from Ecoinvent database 3.10. <i>EN 15804 reference package 3.1</i>
3rd party verifier	<i>Guangli Du</i> <i>BUILD – Institut for Byggeri, By og Miljø,</i> <i>Aalborg Universitet København.</i> Verified according to Verification Checklist 1 v. 2.8.

General programme instructions

General Programme Instructions, version 2.0, spring 2020
www.epddanmark.dk

EN 15804

DS/EN 15804 + A2:2019 - "Sustainability of construction works – Environmental product declarations – Core rules for the product category of construction products"

EN 15942

DS/EN 15942:2011 – " Sustainability of construction works – Environmental product declarations – Communication format business-to-business"

ISO 14025

DS/EN ISO 14025:2010 – " Environmental labels and declarations – Type III environmental declarations – Principles and procedures"

ISO 14040

DS/EN ISO 14040:2008 – " Environmental management – Life cycle assessment – Principles and framework"

ISO 14044

DS/EN ISO 14044:2008 – " Environmental management – Life cycle assessment – Requirements and guidelines"

References

Hjørring Varmeforsyning. (2023). *Kraftvarmeværk*. Hentet fra Hjørring Varmeforsyning:
<https://www.hjvarme.dk/teknik/kraftvarmevaerk/>

Hofor. (2023). *Forskellige forbrændingsmetoder*. Hentet fra Hofor:
<https://www.hofor.dk/privat/fjernvarme/bliv-klog-paa-fjernvarme/saadan-producererer-hofor-fjernvarme/forskellige-forbraendingsmetoder/>

Lundgren, C.-E. (2009). *Kraftvarmeværk*. Hentet fra Den Store Danske:
<https://denstoredanske.lex.dk/kraftvarmev%C3%A6rk>

Rambøll. (2023). *Avedøre: Beviset på at vedvarende energi kan være fleksibelt*. Hentet fra Rambøll:
<https://www.ramboll.com/da-dk/projekter/energi/conversion-to-renewables-avedore-plant>

Støvring Kraftvarmeværk. (2023). *Teknik og teknologi*. Hentet fra Støvring Kraftvarmeværk:
<https://www.stoevring-varme.dk/profil/teknik-og-teknologi/>